

MOTUL MOTYLGEAR 75W-85



زيوت تشحيم علبة التروس
Technosynthese تقنية

أنواع الاستخدام

جميع علب التروس الميكانيكية، المتزامنة أو غير المتزامنة، علب التروس/الترس التفاضلي وعلب التروس التحويلية بدون نظام انزلاق محدود تعمل تحت الصدمات والأحمال الثقيلة وسرعات الدوران المنخفضة أو الأحمال المتوسطة وسرعات الدوران العالية. تم تطويره خصيصًا لمصنعي المعدات الأصلية مثل نيسان وميتسوبيشي وسوزوكي وكيا وهيونداي... إلخ وجميع مصنعي المعدات الأصلية الآخرين الذين يحتاجون إلى زيت تروس بدرجة لزوجة SAE 75W-85.

مستويات الاداء

تكنوسينثيس، زيت تشحيم "الضغط الشديد" لحماية فعالة ضد التآكل معزز بمواد أساسية صناعية لمقاومة أفضل في درجات الحرارة العالية وعمر أطول. يبقى بدرجة لزوجة 85 بعد اختبار القصر KRL لمدة 20 ساعة كما هو مطلوب من معيار SAE J306. قوة تشحيم عالية جدًا تقلل من الاحتكاك والتآكل. تقلل درجة اللزوجة 85 عند درجات الحرارة العالية من سحب علبة التروس ثم استهلاك الوقود مع ضمان مستوى حماية مرتفع على التروس. سائل عند درجات حرارة منخفضة للسماح بتغيير التروس بسهولة عندما يكون صندوق التروس باردًا. يتطلب جهدًا أقل على ذراع التروس لتغيير التروس. مناسب لأي نوع من الأختام والمواد الصفراء المستخدمة في تصميم علب التروس. مضاد للتآكل ومضاد للرغوة.

التوصيات

تغيير الزيت: وفقًا لمتطلبات الشركات المصنعة واضبطه وفقًا لاستخدامك الخاص.

المواصفات

75W-85	SAE J 306	Viscosity grade
0.857		(Density at 20°C (68°F
mm ² /s 82.6	ASTM D445	(Viscosity at 40°C (104°F
mm ² /s 12.6	ASTM D445	(Viscosity at 100°C (212°F
150.0	ASTM D2270	Viscosity Index
C / -49.0 °F° 45.0-	ASTM D97	Pour point
C / 421.0 °F° 216.0	ASTM D92	Flash point

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

06/25

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

MOTUL MOTYLGEAR 75W-85



زيوت تشحيم علبة التروس
Technosynthese تقنية

STANDARDS	
GL-4, GL-5	API

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79