



AUTO COOL PROFESSIONAL



Ready to use cooling liquid

Anti-corrosion and anti-freeze

Protection -37°C / -35°F

Nitrate free / Amine free / Silicate free/ Borate free

TYPE OF USE

MOTUL AUTO COOL PROFESSIONAL is a ready to use cooling liquid, based on monoethyleneglycol, using an organic / non organic mix technology, named hybrid additives. Do not to mix with other coolants. Recommended for all cooling systems: passenger cars, heavy duty, construction and agriculture vehicles, gardening, ships, stationary engines, ...

PERFORMANCE

STANDARDS AND MANUFACTURING SPECIFICATIONS:

OEM GROUP	SPECIFICATION
Japanese Standards	JIS K2234

Contains a bitterness agent to prevent from drinking: coolants and antifreezes have a sweet taste but are harmful.

Protects the cooling system from freezing and metallic parts from corrosion.
Provides excellent thermal exchange and therefore improves engine cooling efficiency.
Both phosphates and organic acids provide anti-corrosion properties that remain while aging.
Seals, hoses, pipes and plastic parts friendly.

RECOMMENDATIONS

Ready to use, do not add any water.
Drain intervals: Refer to the manufacturers' recommendation.
This product should not be used to protect drinking water systems against freezing.

PROPERTIES

Nitrate free, amine free, silicate free, borate free.

Color	VISUAL	Blue
Density @ 20°C / 68°F	JIS K 0061	1.078
pH	JIS K 2234	7.7
Freezing protection	JIS K 2234	-37°C / -34.6°F
Boiling temperature	JIS K 2233	109°C / 228°F

SECURITY

Product should be stored at ambient temperature.
Refer to the MSDS and the information mentioned on the bottle for further details.

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are not definitive from the order which is subject to our general conditions of sale and warranty. – Made in France

MOTUL - 119 Bd Félix Faure - 93303 AUBERVILLIERS CEDEX - BP 94 – Tel : 33 1 48 11 70 00 - Fax : 33 1 48 33 28 79. Web Site: www.motul.fr