



MOTUL 3000 20W-50 4T

4-Stroke motorcycle engine lubricant
Lubricant for 4 Stroke motorcycle engine
Mineral

TYPE OF USE

Street & road bikes, trails, off-road bikes... fitted with 4 Stroke engines, integrated gearbox or not, wet or dry clutch, engines with or without catalytic converters.

Other uses: ATVs, mopeds...

PERFORMANCES

Lubricant reinforced with Extreme Pressure additives to guarantee protection and life time of the gears.

High lubricant properties to reduce wear and increase engine durability.

High detergent and dispersant properties to maintain engine cleanliness.

JASO MA2 lubricant to ensure highest friction possible between friction plates of wet clutch and guarantee perfect clutch lock up at start-up, acceleration and full speed.

Easy gear shifting.

RECOMMENDATIONS

Oil change: according to manufacturers' requirements and to be adjusted according to using conditions.

Can be mixed with synthetic or mineral lubricants.

PROPERTIES

Viscosity grade	SAE J 300	20W50
Density at 20°C (68°F)	ASTM D1298	0.881
Viscosity at 40°C (104°F)	ASTM D445	178.0 mm²/s
Viscosity at 100°C (212°F)	ASTM D445	19.5 mm²/s
Viscosity Index	ASTM D2270	126.0
Pour point	ASTM D97	-30.0 °C / -22.0 °F

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty.

MOTUL - 49 Kyalami Blvd, Kyalami Business Park - 1684 - Midrand - +27820454357 - www.motul.com

motul.com



MOTUL 3000 20W-50 4T

4-Stroke motorcycle engine lubricant
Lubricant for 4 Stroke motorcycle engine
Mineral

TBN	ASTM D2896	6.4 mg KOH/g
Flash point	ASTM D92	240.0 °C / 464.0 °F



MOTUL 3000 20W-50 4T

4-Stroke motorcycle engine lubricant
Lubricant for 4 Stroke motorcycle engine
Mineral

STANDARDS	
API	SM
JASO	MA2 (2023) No. M033MOT202
OEM PERFORMANCES	
HARLEY-DAVIDSON MC	- Meets HARLEY DAVIDSON specifications

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty.

MOTUL - 49 Kyalami Blvd, Kyalami Business Park - 1684 - Midrand - +27820454357 - www.motul.com

motul.com

