

MOTUL 4000 MOTION 10W-30



زيت محرك البنزين أو الديزل
أداء "اقتصادي من حيث الوقود"
معدني

أنواع الاستخدام

مُصمم خصيصاً للمركبات التي تتطلب زيتاً بدرجة لزوجة SAE 10W-30، وأداء منخفض في استهلاك الوقود.
مناسب لجميع أنواع محركات البنزين، مع حاقن أو الكاربراتير، ومحول حفاز. مناسبة لجميع أنواع الوقود.
قد لا تكون هذه الزيوت مناسبة للاستخدام في بعض المحركات. يرجى الرجوع إلى دليل المالك أو الكتيب اليدوي في حالة الشك.

مستويات الاداء

يتطلب أداء ACEA A1/B1 الاقتصاد في استهلاك الوقود وأداء انبعاثات منخفض من مواد التشحيم للحصول على أداء أفضل للمحرك. يقلل زيت موتول 4000 موشن 10W-30 من الاحتكاك في المحرك.
تم تعزيز المنظفات والعوامل المشتتة والمواد المضادة للأكسدة بشكل خاص لمقاومة تغيير الزيت لفترات طويلة والتي تتطلبها الشركات المصنعة لموديلات السيارات الجديدة.
خصائص فعالة للغاية مضادة للرواسب والرواسب السوداء للمساعدة في الحفاظ على نظافة المحرك.
خصائص مضادة للتآكل ومضادة للرغوة.

التوصيات

فترة الاستبدال: وفقاً لتوصيات الشركة المصنعة واضبطها وفقاً لاستخدامك الخاص.
يمكن خلط موتول 4000 موشن 10W-30 مع الزيوت التخليقية أو المعدنية.

المواصفات

10W-30	SAE J 300	Viscosity grade
0.865		(Density at 20°C (68°F
mm ² /s 74.6	ASTM D445	(Viscosity at 40°C (104°F
mm ² /s 11.1	ASTM D445	(Viscosity at 100°C (212°F

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

06/25

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

motul.com

MOTUL 4000 MOTION 10W-30



زيت محرك البنزين أو الديزل
أداء "اقتصادي من حيث الوقود"
معدني

137.0	ASTM D2270	Viscosity Index
C / -44.0 °F° 42.0-	ASTM D97	Pour point
mg KOH/g 9.8	ASTM D2896	TBN
C / 442.0 °F° 228.0	ASTM D92	Flash point

MOTUL 4000 MOTION 10W-30



زيت محرك البنزين أو الديزل
أداء "اقتصادي من حيث الوقود"
معدني

STANDARDS	
A1/B1	ACEA
SL/CF	API

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

