

MOTUL



AGRI TEKNO 10W-40

Technosynthese®

DESCRIPTION

AGRI TEKNO 10W-40 is a high performance engine oil for tractors and farm machinery formulated with Technosynthese® technology.

APPLICATIONS

AGRI TEKNO 10W-40 is suitable for all low emissions European, American or Japanese Diesel engines naturally aspirated or Turbocharged, in line with Euro II, Euro III, Euro IV and Euro V fitted with EGR System (Exhaust Gas Re-circulation) or SCR (Selected Catalyst Reduction): Tractors, Farm machinery...

AGRI TEKNO 10W-40 can be used as single engine oil for fleets consisting of new & older generation engines.

ADVANTAGES

- Dispersant and anti-oxidation properties: protection against soot build-up and oil filter plugging.
- Superior Anti-Wear level: bore polishing protection.
- Superior detergent level: piston cleanliness and piston groove deposits control.
- Anti-corrosion, Anti-rust, Anti-foam.



TECHNICAL CHARACTERISTICS

CHARACTERISTICS	METHOD	AGRI TEKNO 10W40
Viscosity grade	SAE J 300	10W-40
Density at 20°C (68°F)	ASTM D1298	0.871
Viscosity at 40°C (104°F)	ASTM D445	103.2 mm ² /s
Viscosity at 100°C (212°F)	ASTM D445	15.5 mm ² /s
Viscosity Index	ASTM D2270	159.0
Pour point	ASTM D97	-30.0 °C / -22.0 °F
TBN	ASTM D2896	12.1 mg KOH/g
Flash point	ASTM D92	236.0 °C / 452.0 °F

Lubricant boosted with synthetic base stock providing, at the same time, outstanding resistance at high temperature and longer lubricant life time.

The **API CI-4** performance ensures protection and durability of engines fitted with EGR systems.

STANDARDS / APPROVALS / PERFORMANCE LEVEL

AGRI TEKNO 10W40 meets the following standards:

- ACEA - E7 (Replaces E5 and E3)
- API - CI-4/CH-4

AGRI TEKNO 10W40 meets or exceeds the most common specifications and OEM requirements:

- MERCEDES-BENZ - MB 228.3
- MAN - M 3275
- DEUTZ - DQC-III-10
- CUMMINS - CES 20078
- CUMMINS - CES 20077

RECOMMENDATIONS

Drain interval: refer to manufacturers' recommendations, adjust to your own use (engine type, service).

Can be mixed with synthetic or mineral oils.



IMPORTANT NOTICE

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on www.motul.com.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.