

# CADREX DR 220 SC

Deformation

## DESCRIPTION

**CADREX DR 220 SC** is a chlorine-free, neat oil designed for deep drawing, bending, reshaping and fine cutting on all ferrous and non-ferrous metals, under severe conditions.

**CADREX DR 220 SC** meets the requirements set out in the specifications for the Motor Vehicle industry.

## APPLICATIONS

For all parts arriving on assembly lines or elements used to make sub-assemblies (sheet steel, bare or coated beforehand with zinc or zinc alloys, sheet aluminium, etc.). Can be applied by brushing or dipping.

Approved by **RENAULT**, **CADREX DR 220 SC** can be recommended for all subcontractors working for the automotive industry.

For operations in low-duty or medium-duty conditions, use our **CADREX DR 40 SC** and **CADREX DR 100 SC** products respectively.

## ADVANTAGES

- Does not yellow under an HPRL lamp.
- CADREX DR 220 SC has passed multi-friction cycle, washable and protection tests concerning the RENAULT applications for all processes.
- If it is not rinsed off, CADREX DR 220 SC provides temporary protection from all subsequent corrosion for treated metals.

## TECHNICAL INFORMATION

NAME	UNITS	METHOD	CADREX DR 220 SC
Color	-	ASTM D1500	Light brown
Aspect	-		Transparent
Density at 20°C (68°F)	-	ISO 12.185	0.939
Viscosity at 40°C (104°F)	mm <sup>2</sup> /s	ASTM D445	220.0
Flash point	°C	ASTM D92	256.0
Pour point	°C	ASTM D97	-15.0
Copper Strip Corrosion	-	NTF M 07105	1a
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.



## SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.