

DS SUPER AGRI 15W-40

DESCRIPTION

DS SUPER AGRI 15W-40 is a multipurpose lubricant for modern farming machines : diesel engines turbocharged or not, gasoline engines, transmissions, wet brakes, hydraulic systems.

APPLICATIONS

DS SUPER AGRI 15W-40 is recommended for the following farm machines working in normal conditions: JOHN DEERE, MASSEY FERGUSON, CASE, INTERNATIONAL HARVESTER, RENAULT, DEUTZ NEW HOLLAND / FORD / FIAT AGRI...

ADVANTAGES

- Deposits control around the rings increase engine protection and engine life time.
- Outstanding dispersive properties, soot control avoid oil filter plugging during the complete drain interval.
- Anti-wear protection.
- A single lubricant to lubricate engine, transmissions (gearboxes and axles), wet brakes and hydraulic systems in order to avoid misuse or mixture.

TECHNICAL CHARACTERISTICS

CHARACTERISTICS	METHOD	DS SUPER AGRI 15W-40
Viscosity grade	SAE J 300	15W-40
Density at 20°C (68°F)	ASTM D1298	0.884
Viscosity at 40°C (104°F)	ASTM D445	94.4 mm ² /s
Viscosity at 100°C (212°F)	ASTM D445	13.5 mm ² /s
Viscosity Index	ASTM D2270	139.0
Drop point	ASTM D97	-33 °C / -27 °F
TBN	ASTM D2896	11.0 mg KOH/g
Flash point	ASTM D92	234.0 °C / 453.0 °F

STANDARDS / APPROVALS / PERFORMANCE LEVEL

DS SUPER AGRI 15W-40 meets the following standards:

- SAE - 15W-40 (Engine) / 80W-90 (Transmission)
- API - CF-4 / SF (Engine) / CH-4 (Engine) / GL-4 (Transmission)
- ACEA - E5 (Engine soot control)
- AFNOR - 48603 HV (Hydraulic)
- ISO - VG 68 / 100 (Hydraulic)

DS SUPER AGRI 15W-40 meets or exceeds the most common specifications and OEM requirements:

- FORD - M2C 159 B (Transmission)
- FORD - 30/40 (Transmission)
- JOHN DEERE - JDM 27 (Transmission)
- CATERPILLAR - TO-2 (Transmission)
- ALLISON TRANSMISSION - C-4 (Transmission)
- ZF - TE-ML 06B / 06C / 07B (Transmission)
- MERCEDES-BENZ - MB 227.1 (Engine)
- MASSEY FERGUSON - MF 1139 / MF 1144 (Transmission)

RECOMMENDATIONS

Oil change: according to manufacturers' requirements and adjust according to your own use.

IMPORTANT NOTICE

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on www.motul.com.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.