



MOTUL ATF III

Automatic Transmission Fluid
Power steering systems
Torque converters and hydraulic systems
Technosynthese®

TYPE OF USE

Automatic Transmission Fluid (ATF) for all automatic gearboxes and systems where DEXRON (except DEXRON VI) or MERCON standard is required.

Particularly recommended for use in automatic gearboxes of American car makers GM, FORD, CHRYSLER..., Asian car makers HYUNDAI, KIA, MITSUBISHI, TOYOTA..., or European car makers BMW, CITROËN, FIAT, MB, PEUGEOT, RENAULT, ...

Also recommended for use in older automatic gearboxes, torque converters, power steering, boats reverse gears, hydro-static transmissions, mechanical and hydraulic systems where DEXRON (except DEXRON VI) or MERCON fluids are required.

PERFORMANCES

STANDARDS AND MANUFACTURERS SPECIFICATIONS: Refer to chart.

Synthetic Technosynthese® Automatic Transmission Fluid (ATF) less viscous at low temperature than conventional Dexron IIE oils, allowing easier gear shifting in cold conditions.

Higher oxidation resistance than Dexron IIE standard.

Oil film stability under high temperatures.

Anti-wear, Anti-corrosion, Anti-foam.

RECOMMENDATIONS

MOTUL ATF III can be used (and mixed) for applications where "DEXRON", "B DEXRON", "DEXRON IID", "DEXRON IIE", or "DEXRON III" standard is required (except for DEXRON VI).

Oil change: according to manufacturers' recommendations and to be tuned to your own use.



MOTUL ATF III

Automatic Transmission Fluid
Power steering systems
Torque converters and hydraulic systems
Technosynthese®

PROPERTIES

Color	Visual	Red
Density at 20°C (68°F)		0.847
Viscosity at 40°C (104°F)	ASTM D445	35.2 mm²/s
Viscosity at 100°C (212°F)	ASTM D445	7.4 mm²/s
Viscosity Index	ASTM D2270	183.0
Pour point	ASTM D97	-57.0 °C / -71.0 °F
Flash point	ASTM D92	210.0 °C / 410.0 °F

Automatic Transmission Fluid
Power steering systems
Torque converters and hydraulic systems
Technosynthese®

OEM PERFORMANCES	
AUDI	G 052 533, G 052 990
BMW	81 22 9 400 272, ETL 7045E, LA2634
CHRYSLER	ATF+, ATF+2, ATF+3, MS 5931, MS 7176, MS 7176D, MS 7176E
CITROËN	AL4 Automatic Gearbox Oil (# 9730.AE)
DAIHATSU	AMMIX ATF D-II, AMMIX ATF D-III SP
FIAT	9.55550-AG1, 9.55550-AG2
FORD	ESP-M2C166-H, FNR5, MERCON, SQ-M2C9010-A, WSA-M2C195-A, WSS-M2C138-CJ, WSS-M2C166-H, WSS-M2C185-A, WSS-M2C186-A, XL-12, XT-2-QDX, XT-2-QDX (M), XT-2-QSM (Syn), XT-5-QM
GENERAL MOTORS	1050017, 1940700, 21005966, 22717466, 93160393, 9985010, GM 1940767, GM DEXRON II D, GM DEXRON II E, GM DEXRON III G, GM DEXRON III H, TASA
HONDA	ATF Z1 (except CVTs), Special ATF Honda, Special Honda Power Steering Fluid
HYUNDAI	DEX-II, JWS 3314, MATIC D, SP II, SP III
ISUZU	Besco ATF II
JEEP	ATF+3
KIA	DEX-II, JWS 3314, MATIC D, SP II, SP III
LAND ROVER	N402
MAZDA	ATF D-II, ATF M-III, ATF M-V
MERCEDES-BENZ	MB 235.71, MB 236.1, MB 236.2, MB 236.4, MB 236.6, MB 236.8, MB 236.9
MERCURY	Power Trim Fluid
MINI	81 22 9 400 272, ETL 7045E, LA2634
MITSUBISHI	Diamond (USA) / Dia Queen PSF, Dia Queen SP, SP II, SP III, SP-II M
NISSAN	MATIC D, MATIC J, MATIC K, PSF-II
OPEL	GM 1940700, GM 1940767, GM 21005966 Transaxle, GM 2217466
PEUGEOT	AL4 Automatic Gearbox Oil (#9730.AE), Esso B11216
PORSCHE	043 205 28, Z 000169756
RENAULT	AL4, CLIP, DP0, matic D2
ROVER	ATF 206
SAAB	93 160 393
SEAT	G 052 533, G 052 990
SKODA	G 052 533, G 052 990
SMART	MB 235.71
SUBARU	Dexron-II
SUZUKI	JWS 3314, JWS 3317
TOYOTA	ATF D-II, ATF D-III, ATF Type T, ATF Type T-II, ATF Type T-III, ATF Type T-IV, JWS 3309, Gear Oil V 160

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty.

MOTUL - 49 Kyalami Blvd, Kyalami Business Park - 1684 - Midrand - +27820454357 - www.motul.com

motul.com

09/25



MOTUL ATF III

Automatic Transmission Fluid
Power steering systems
Torque converters and hydraulic systems
Technosynthese®

VAUXHALL	GM 1940700, GM 1940767, GM 21005966 Transaxle, GM 2217466
VOLVO	1161521, 97325
VW	G 052 533, G 052 533, G 052 990
PRODUCTS	
AISIN	JWS 3314, JWS 3317
CASTROL	TQ 95, TranSynd
ESSO	B11216
PETRONAS LUBRICANTS	Tutela GI/A
TEXACO	ETL 7045E, N402
ZF	TE-ML 09A, TE-ML 09B

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty.

MOTUL - 49 Kyalami Blvd, Kyalami Business Park - 1684 - Midrand - +27820454357 - www.motul.com

motul.com