



MOTULTECH CADREX DR 220 SC

DEFORMATION

DESCRIPTION

CADREX DR 220 SC is a chlorine-free, neat oil designed for deep drawing, bending, reshaping and fine cutting on all ferrous and non-ferrous metals, under severe conditions.

CADREX DR 220 SC meets the requirements set out in the specifications for the Motor Vehicle industry.

APPLICATIONS

For all parts arriving on assembly lines or elements used to make sub-assemblies (sheet steel, bare or coated beforehand with zinc or zinc alloys, sheet aluminium, etc.). Can be applied by brushing or dipping.

Approved by **RENAULT**, **CADREX DR 220 SC** can be recommended for all subcontractors working for the automotive industry.

For operations in low-duty or medium-duty conditions, use our **CADREX DR 40 SC** and **CADREX DR 100 SC** products respectively.

ADVANTAGES

- Does not yellow under an HPRL lamp.
- CADREX DR 220 SC has passed multi-friction cycle, washable and protection tests concerning the RENAULT applications for all processes.
- If it is not rinsed off, CADREX DR 220 SC provides temporary protection from all subsequent corrosion for treated metals.

TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	CADREX DR 220 SC
Aspect	-		Light
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.



DATA

Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on www.motul.com.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.