

MOTUL HD 80W-90



Gearbox and differential lubricant
زيوت تشحيم علبة التروس والتفاضلية، الضغط الشديد
معدني



أنواع الاستخدام

ايح دي (HD 80W-90) 80W-90 القوي هو عبارة عن زيت تشحيم لعلبة التروس والتفاضلات ذات الضغط الشديد. القوي هو عبارة عن زيت تشحيم لعلبة التروس والتفاضلات ذات الضغط الشديد.

مستويات الاداء

MOTUL HD ist ein hochwertiges mineralisches Hypoidgetriebeöl für Schaltgetriebe, Achsantriebe, Lenk- und Verteilergetriebe für hohe mechanische und thermische Belastungen.

BESONDERE VORTEILE

Auch für höhere Drücke im Getriebe geeignet.

Verhindert Korrosion und schäumt nicht.

Mindert die Reibung und verhindert Verschleiß.

Neutral gegen Dichtungen und Synchronringe.

Alterungsbeständig

التوصيات

تصريف الزيت: راجع توصيات الشركة المصنعة وقم بتضاطها وفقًا لاستخدامك الخاص.

المواصفات

80W-90	SAE J 300	Viscosity grade
0.890		(Density at 20°C (68°F
mm ² /s 144.0	ASTM D445	(Viscosity at 40°C (104°F
mm ² /s 15.0	ASTM D445	(Viscosity at 100°C (212°F
105.0	ASTM D2270	Viscosity Index
C / -16.0 °F° 27.0-	ASTM D97	Pour point

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

06/25

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

MOTUL HD 80W-90



Gearbox and differential lubricant
زيوت تشحيم علبة التروس والتفاضلية، الضغط الشديد
معدني



C / 410.0 °F° 210.0

ASTM D92

Flash point

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br\>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

motul.com

MOTUL HD 80W-90



Gearbox and differential lubricant
زيوت تشحيم علبة التروس والتفاضلية، الضغط الشديد
معدي



STANDARDS	
GL-4, GL-5	API
D 2105	MIL-L

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development. br\>

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

- MOTUL - 119 Bd Félix Faure - 93303 - Aubervilliers Cedex - BP 94 - FRANCE - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79

motul.com

