



MOTUL MOTOCOOL EXPERT

Motorbike ready to use cooling liquid
Anti-corrosion and anti-freeze
Protection -37°C / -35°F
Nitrite free / Amine free / Borate free

TYPE OF USE

MOTUL MOTOCOOL EXPERT -37°C is a ready to use cooling liquid, anti-freeze and anti-corrosion for motorbike cooling systems.

Based on monoethyleneglycol, MOTOCOOL EXPERT -37°C contains reinforced hybrid anti-corrosion additives using hybrid organic / non organic mix additive technology, named Hybrid Tech. This product is especially suitable for light aluminum alloys used in motorbike engine designs.

PERFORMANCES

Protects the cooling system from freezing (-37°C / -35°F) and metallic parts from corrosion.

Provides an excellent thermal exchange to improve engine cooling efficiency.

Protects bike engines from overheating and from high running temperatures.

Outstanding anti-corrosion and anti-cavitation properties that remain while aging.

Seals, rubber pipes and plastic parts friendly.

Anti-foam properties.

Contains a bitter-tasting agent to prevent from ingesting: coolants and antifreezes have a sweet taste but are harmful if swallowed.

RECOMMENDATIONS

Ready to use, do not add any water.

Drain intervals: Refer to the manufacturers' recommendation.

This product should not be used to protect drinking water systems against freezing.

STORAGE: Avoid light exposure during storage.



MOTUL MOTOCOOL EXPERT

Motorbike ready to use cooling liquid
Anti-corrosion and anti-freeze
Protection -37°C / -35°F
Nitrite free / Amine free / Borate free

PROPERTIES

Color	Visual	Yellow
Density at 20°C (68°F)	ASTM D1121	1.071
Freezing point		-37.0 °C / -35.0 °F
pH	ASTM D1287	8.1
Boiling point	ASTM D1120	137.0 (+1.5 bar) °C / 279.0 (+1.5 bar) °F



MOTUL MOTOCOOL EXPERT

Motorbike ready to use cooling liquid
Anti-corrosion and anti-freeze
Protection -37°C / -35°F
Nitrite free / Amine free / Borate free

STANDARDS	
AFNOR	NF R 15-601-20
ASTM STANDARD	D3306
BRITISH STANDARD	BS 6580
JAPANESE STANDARD	JIS K2234

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty.

MOTUL - 49 Kyalami Blvd, Kyalami Business Park - 1684 - Midrand - +27820454357 - www.motul.com

motul.com

