

MOTUL TECH SAFKLEEN 421

Degreasing Agent

DESCRIPTION

SAFKLEEN 421 is an alkaline water-based cleaner used by spraying for degreasing and removal of oils, greases, stearates and crystalline phosphate layers on ferrous materials and steels.

APPLICATIONS

SAFKLEEN 421 is used in all types of industries and is suitable for the removal of quenching oils, neat and soluble metalworking fluids.

SAFKLEEN 421 can be used by spraying in washing machines where perfect cleaning is required before heat treatment.

SAFKLEEN 421 can be used by spraying up to 5 bars, by dipping or by ultrasonic in a temperature range from 50°C to 70°C.

ADVANTAGES

- Adapted to the fasteners market.
- Powerful degreasing.
- Easy ton rinse.
- Boron free.
- Very good bio-stability.
- Biodegradable.

TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	SAFKLEEN 421
pH	-	NFT 60.193	12.4 (solution at 1% in water)
Break Point Corrosion	%	IP 287	< 2
Refractometer Factor	-		1.4
Temperature range	-		50-70°C
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.