



STABILIZER AUTO GAT

Gasoline shelf life improver additive
Protects gasoline fuel against oxidation
Gasoline engines - 4 & 2 Stroke

ANWENDUNGSHINWEISE

MOTUL® STABILIZER is a gasoline shelf life improver additive to be added directly to gasoline.

It stabilizes gasoline fuel and its unique multipurpose formulation:

- protects gasoline from oxidation, thus avoiding varnish and gums build-ups inside carburettor and making easier start up after wintering
- avoids deposits build-up in fuel injection systems, injectors, carburettors, combustion chambers and on valves
- cleans valves to restore optimum engine performance

Suitable for all kind of gasoline engines needing to be stored for a long period of time: historic vehicles, boat engines, motorcycles, ATV, UTV, scooters or snowmobile engines, ...etc.

PERFORMANCE

Thanks to its specific formulation, MOTUL® STABILIZER:

- Protects gasoline fuel against oxidation
- Prevents and cleans deposits on valves
- Cleans fuel injection systems, injectors and carburettors
- Maintains cleanliness of the entire fuel system by avoiding varnish and gums accumulation
- Compatible with all type of gasolines, with or without Ethanol, leaded or unleaded
- Compatible with all type of 2 Stroke gasolines, including premix fuels
- Compatible with catalytic converters

EMPFEHLUNGEN UND HINWEISE

Pour the entire bottle of MOTUL® STABILIZER directly into the gasoline tank before refuelling. The fuel will then be protected, and the entire fuel system will be completely cleaned, from the tank to the injector and the combustion chamber.

Wir behalten uns das Recht vor, die allgemeinen Eigenschaften unserer Produkte zu ändern, um unseren Kunden den neuesten Stand der Technik anbieten zu können. Maßgeblich für die Produktspezifikationen ist die Bestellung, für die unsere allgemeinen Verkaufs- und Garantiebedingungen gelten.

MOTUL Deutschland GmbH - Butzweilerhofallee 3 - 50829 - Köln - +49(0)221/67003-0 - +49(0)221/67003-199 - info@motul.de -

motul.com

05/25



STABILIZER AUTO GAT

Gasoline shelf life improver additive
Protects gasoline fuel against oxidation
Gasoline engines - 4 & 2 Stroke

One dose of 100 ml is enough for tanks up to 80 liters.

Do not exceed the prescribed dose.

Dangerous. Observe the precautions for use.

STABILIZER is recommended for use:

- at normal dosage at each refuelling
- for wintering: run the engine with MOTUL® STABILIZER added to gasoline in order to provide anti oxidation protection everywhere inside the fuel system and engine prior to storage.

EIGENSCHAFTEN

Dichte bei 20°C	ASTM D4052	0.821
Flammpunkt	ASTM D93	62.0 °C / 144.0 °F



STABILIZER AUTO GAT

**Gasoline shelf life improver additive
Protects gasoline fuel against oxidation
Gasoline engines - 4 & 2 Stroke**

