

Supraco EVO 410

Neat Cutting Oil

NEAT - HIGH EP



DESCRIPTION

SUPRACUT EVO 410 is a high performance neat cutting oil formulated from highly refined base stocks. Its use brings a better comfort for workers in term of work environment, performances, health and safety.

Clear and odorless, **SUPRACUT EVO 410** is designed for the machining operations of all kinds of metals on all types of machines and especially for severe machining operations on ferrous and non-ferrous materials.

BÉNÉFICES

- Wide range of applications (operations and metals)
- Optimised lubricity and high extreme pressure capabilities
- Machine safety (high flash point)
- Does not foam, even at the high pressure levels required for boring operations
- Reduced consumption
- Easy removal of the product by conventional cleaning processes

SÉCURITÉ

- Free from organo-chlorinated additives
- Good dermatological behaviour

PERFORMANCES

SUPRACUT EVO 410 is best suited for use on machine tools whose cutting system nozzle is lubricated, during operations at medium to high cutting speeds, and on small to medium sized parts.

SUPRACUT EVO 410 is designed for use during difficult operations involving deep drilling, cutting and shaving on high alloy steel including steel with high nickel content.

SUPRACUT EVO 410 is also suitable for classic machining operations on high alloy steel and it is a useful replacement for products with high chlorine content, especially on machines fitted with high-output, high-pressure spray systems.

MOTUL | www.motul.fr 33 1 48 11 70 00 | tech@motul.fr

Creation Date: 02/2018 Revision Date: 07/2018



Creation Date: 02/2018

Revision Date: 07/2018

TECHNICAL INFORMATION

NAME	METHOD	SUPRACO EVO 410
Couleur	Visuel	Ambre
Aspect		Transparent
Densité à 20°C (68°F)	ISO 12.185	0.849 kg/L
Viscosité à 40°C (104°F)	ASTM D445	10,0 mm²/s
Point éclair	ASTM D92	170,0 °C
Point d'écoulement	ASTM D97	-40,0 °C
Copper Stripe Corrosion	NTF M 07105	1b
Storage		in frost-free, dry place

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

RECOMMENDATIONS

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary. The safety data sheet of this product is available at www.motul.com