



# MOTULTECH SUPRACUT 20 X

Neat Cutting Oil

## DESCRIPTION

**SUPRACUT 20 X** is a high performance neat cutting oil specially developed for machining of bad machinability ferrous metal.

**SUPRACUT 20 X** is widely used in the automotive and aeronautic industries.

## APPLICATIONS

**SUPRACUT 20 X** is especially suitable for machining of medium-hard to hard steel and titanium on automatic and semi-automatic turning machines, with single or multiple broaches, without risks of seizing the spindle mechanism.

**SUPRACUT 20 X** is well adapted for use at high feed rates under heavy duty.

The use of **SUPRACUT 20 X** is not advised for machining of copper alloys.

## ADVANTAGES

- High lubricating power.
- Good extreme-pressure properties.
- High flash point.
- Very good stability.

## TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	SUPRACUT 20 X
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.

## HEALTH AND SAFETY

- Free of organo-chlorinated additives and active sulphur
- Formulated following INRS ND 2356-227-12 recommendations
- Good dermatological behaviour

## SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.



#### Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on [www.motul.com](http://www.motul.com).

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.