

## MOTULTECH SUPRACUT MQL 30

Minimum Quantity Lubrication

### DESCRIPTION

**SUPRACUT MQL 30** is a synthetic neat cutting oils developed for machining involving chips removal of ferrous and non-ferrous metals, with a micro-spray circulation system.

### APPLICATIONS

**SUPRACUT MQL** is a range of synthetic neat cutting oils best suited for milling, cutting and tapping operations on ferrous and non-ferrous metals.

**SUPRACUT MQL 30** reduces significantly the oil consumption and has high level biodegradable content.

### ADVANTAGES

- Minimum consumption.
- Chlorine and active sulphur free.
- Good anti-wear properties.
- High flash point.
- High viscosity index.

### TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	SUPRACUT MQL 30
Aspect	-		Transparent
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.

### HEALTH AND SAFETY

- Free form organo-chlorinated additives and active sulphur
- Biodegradable
- Good dermatological behavior

### SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

#### Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on [www.motul.com](http://www.motul.com).

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.