



(PREVIOUSLY PROFILINE 1008)

SUPRAGRIND EVO 08 M

Metal part grinding

Mineral base oil

DESCRIPTION

SUPRAGRIND EVO 08 M is a neat grinding oil, clear, fluid, without sulfur and chlorine. It is formulated from highly refined based stocks to bring a better comfort for workers in term of work environment, performances, health and safety.

SUPRAGRIND EVO 08 M has been developed in cooperation with grinding machines manufacturers. Its use as abrasives particles carrier is validated for lapping and finishing operations on flat surfaces.

APPLICATIONS

SUPRAGRIND EVO 08 M is especially adapted to all operations of lapping, grinding and sharpening of HSS and carbide tools with diamond or CBN wheels.

Thanks to its properties, **SUPRAGRIND EVO 08 M** is especially advised for watch industry, precision mechanic, micromechanics and automotive industry.

SUPRAGRIND EVO 08 M is approved for grinding and protection on electrical contactors.

ADVANTAGES

- Non foaming.
- Very good cooling properties.
- Excellent particles settling.
- High flash point.
- Very good stability.
- Prevent the smearing of wheel.
- Protect the grinded pieces.

TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	SUPRAGRIND EVO 08 M
Color	-		Orange
Density	-	ASTM D4052	0.849
Viscosity at 40°C	-	ASTM D445	8.0
Flash point	-	ASTM D92	170
Copper corrosion	-	ASTM D130	1a
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.



HEALTH AND SAFETY

- Free of organo-chlorinated additives and active sulphur
- Formulated following INRS ND 2356-227-12 recommendations.
- Good dermatological behaviour.

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

Important Notice

Information disclosed in this technical data sheet is based on MOTUL's experience and know-how in the development and manufacture of lubricants and other chemical products according to the current state of knowledge.

Any chemical product must be used in the intended application and in accordance with the recommendations provided in its safety data sheet freely consultable via the site <https://www.quickfds.com/fr/>. The performance of our products may be influenced by a series of factors, including conditions of use, application methods, operational environment, pretreatment of components, possible external contamination, etc ... For these reasons, universal recommendation of our products is impossible. The information in the technical data sheet represents general, non-binding guidelines and is given for guidance only. No express or implied warranty is given regarding the properties of the product or its suitability for a given application.

Therefore, we recommend consulting an application engineer to discuss application conditions and product performance criteria before use. It is the user's responsibility to test the functional suitability of the product and to use it under appropriate safety conditions. Our products are subject to continuous improvement with the aim of improving performance or bringing them into compliance with any new and possible regulations concerning them. We reserve the right to change our product lines, our products and their manufacturing processes and any provisions of our publications at any time without notice. This technical sheet cancels and replaces all previous editions.

We expressly draw the attention of any user to the fact that our product has not been designed and tested for use in the field of aeronautics as an "onboard" product or in the field of nuclear power production. Any use that may be made of the product in one of the aforementioned sectors will be under the exclusive responsibility of the user. Any reproduction, whatever its form, requires the prior written consent of MOTUL. All rights reserved.