



MOTUL TIMBER BIO

BIODEGRADABLE

DESCRIPTION

Tacky lubricant for any kind of chain saws, electric or gasoline powered engines, with manual or automatic lubrication systems.

Suitable for all types of wood species, specially formulated for chain saws running at high revs, professional use or gardening.

APPLICATIONS

100% biodegradable lubricant engineered with renewable raw material stocks, very low toxicity and environment friendly, in line with European Ecological law for nature protection. Lubricant toxicity is almost nil, minimizes water pollution risk and reduces harm for water and soil during use.

Contains tackifier and Extreme Pressure agents to stay on chain and on guide bar, even at high speed, and to handle extreme using conditions. Minimizes friction on chain and bar guide, protects against wear.

High oxidation resistance at high temperature. Base stocks are specially chosen to avoid deposits build ups on bar guide, chain and protection case.

Appropriate viscosity for efficient lubrication while avoiding risks of oil splashes. Easy use at cold temperature.

Anti-corrosion and anti-wear.

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on www.motul.com.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.