



## MOTULTECH UNIVERSELLE 800 SC

Deformation

### DESCRIPTION

**UNIVERSELLE 800 SC** is a multi-purpose oil, free of organo-chlorinated additives, suitable for use of both cold forming and machine-tool lubrication.

### APPLICATIONS

**UNIVERSELLE 800 SC** can be used :

- A very high-performance heading oil for complex shaped parts.
- Tapping by cutting or deformation
- Rolling for threading operations by deformation
- On horizontal and vertical press
- As a “booster” in neat cutting oils and cold forming oils, between 5 and 20%

### ADVANTAGES

- Can be used for both cold forming and machine-tool lubrication.
- Use only for the manufacture of ferrous metals.
- High oiliness and lubricating properties.
- Very high extreme pressure properties.
- Can be used as a “booster” in order to increase the cutting or cold forming performances.

### TECHNICAL INFORMATION

TECHNICAL CHARACTERISTICS	UNITS	METHOD	UNIVERSELLE 800 SC
Aspect	-		Transparent
Density	-		912.0 0,912
Storage	-		in frost-free, dry place

These characteristics are given only for information and can be updated over time.

### HEALTH AND SAFETY

- Free from organo-chlorinated additives
- Good dermatological behaviour
- Storage in a frost-free and dry place



## SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

### Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on [www.motul.com](http://www.motul.com).

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.