



MOTUL VALVE LIFTER STOP NOISE

READY TO USE FLUID

DESCRIPTION

MOTUL VALVE LIFTER STOP NOISE is designed to be used in all types of Gasoline and Diesel engines, naturally aspirated or turbocharged, with or without catalytic converter, using all kind of fuel, and fitted with hydraulic lifters.

Based on a high performance package of effective additives, MOTUL VALVE LIFTER STOP NOISE effectively improves high pressure properties as well as wear and tear protection of engine oils and eliminates by lubrication the hydraulic valve lifters rattle noises and ensures an effective, quiet running and optimal function of the hydraulic lifters.

APPLICATIONS

MOTUL VALVE LIFTER STOP NOISE, when added to engine oil, allows to:

- eliminate by lubrication the hydraulic valve lifters rattle noises
- decrease engine timing system noise
- improve high pressure properties as well as wear and tear protection of engine oils
- ensure an effective, quiet running and optimal function of the hydraulic lifters.
- reduce engine timing system wear
- increase engine timing system lifetime

SERVICES AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and monitoring of your lubricants. Please contact your technical sales representative for more information.

Important Notice

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment. The safety data sheet is available on www.motul.com.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary.